

## Test Report

Number: GZHH00342123

Applicant: RASTAR GROUP  
XINGHUI INDUSTRIAL PARK,  
XIADAO ROAD, SHANGHUA, CHENGHAI,  
SHANTOU, GUANGDONG, CHINA

Date: Oct 25, 2019

### Sample Description:

Five (5) sets of submitted sample said to be :  
Item Name : Model R/C Car  
Labelled Age Group : 6+  
Appropriate Age Grading for : Over 6 years  
Testing  
Packaging Provided by : Yes  
Applicant  
Country of Origin : China



### Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

To be continued



## Test Report


Number: GZHH00342123

### Conclusion:

<u>Tested sample</u>	<u>Standard</u>	<u>Result</u>
Submitted sample sets	EN71-1:2014+A1:2018 for mechanical and physical properties	Pass
	EN71-2:2011+A1:2014 Flammability test	Pass
Tested component(s) of submitted sample sets	EN71-3:2013+A3:2018 on migration of certain elements	Pass
	EN71-3:2013+A3:2018 on migration of certain elements & EU 2018/725 amending 2009/48/EC (effective from Nov 18,2019) for chromium (VI) migration	Pass
	EN71-3:2019 on migration of certain elements	Pass

\*\*\*\*\*

Authorized by:  
For Intertek Testing Services Shenzhen Ltd.  
Guangzhou Branch, Hardlines



Ben N.L. Lin  
General Manager



## Test Report

Number: GZHH00342123

### Tests Conducted

#### 1 Physical and Mechanical Tests

As per European Standard on Safety of toys EN71-1:2014+A1:2018

The submitted samples were undergone the following abuse tests:

Test	Clause	Parameter
Drop test	8.5	850 mm x 5 times
Impact test	8.7	1 kg
Flexibility of metallic wires	8.13	70 N

Clause	Testing Items	Assessment
4	General requirements	
4.1	Material	P
4.2	Assembly	NA
4.3	Flexible plastic sheeting	NA
4.4	Toy bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7	Edges	P
4.8	Points and metallic wires	P
4.9	Protruding parts	NA
4.10	Parts moving against each other	P
4.11	Mouth actuated toys and other toys intended to be put in the mouth	NA
4.12	Balloons	NA
4.13	Cords of toy kites and other flying toys	NA
4.14	Enclosures	NA
4.15	Toys intended to bear the mass of a child	NA
4.16	Heavy immobile toys	NA
4.17	Projectile toys	NA
4.18	Aquatic toys and inflatable toys	NA
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps	NA
4.20	Acoustics	NA
4.21	Toys containing non-electrical heat source	NA
4.22	Small balls	NA
4.23	Magnets	NA
4.24	Yo-yo balls	NA
4.25	Toys attached to food	NA
4.26	Toy disguise costumes	NA
4.27	Flying toys	NA
5	Toys intended for children under 36 months	
5.1	General requirements	NA
5.2	Soft-filled toys and soft-filled parts of a toy	NA
5.3	Plastic sheeting	NA
5.4	Cords, chains and electrical cables in toys	NA
5.5	Liquid filled toys	NA
5.6	Speed limitation of electrically-driven ride-on toys	NA
5.7	Glass and porcelain	NA



**Test Report**

Number: GZHH00342123

Tests Conducted

Clause	Testing Items	Assessment
5.8	Shape and size of certain toys	NA
5.9	Toys comprising monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric-shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15	Sledges with cords for pulling	NA
6	Packaging	NA
7	Warnings, markings and instructions for use	
7.1	General	P
7.2	Toys not intended for children under 36 months	P/#
7.3	Latex balloons	NA
7.4	Aquatic toys	NA
7.5	Functional toys	NA
7.6	Hazardous sharp functional edges and points	NA
7.7	Projectile toys	NA
7.8	Imitation protective masks and helmets	NA
7.9	Toy kites	NA
7.10	Roller skates, inlineskates and skateboards and certain other ride-on toys	NA
7.11	Toys intended to be attached to strung across a cradle, cot, or perambulator	NA
7.12	Liquid-filled teethers	NA
7.13	Percussion caps specifically designed for use in toys	NA
7.14	Acoustics	NA
7.15	Toy bicycles	NA
7.16	Toys intended to bear the mass of a child	NA
7.17	Toys comprising monofilament fibres	NA
7.18	Toy scooters	NA
7.19	Rocking horses and similar toys	NA
7.20	Magnetic/electrical experimental sets	NA
7.21	Toys with electrical cables exceeding 300 mm in length	NA
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months	NA
7.23	Toys intended to be attached to a cradle, cot or perambulator	NA
7.24	Sledges with cords for pulling	NA
7.25	Flying toys	NA
7.26	Improvised projectiles	NA

Remark: P = Pass NA = Not Applicable

# = Age warning statement, graphical symbol and the indication of hazard was found on the packaging.

\*\*\*\*\*



## Test Report

Number: GZHH00342123

### Tests Conducted

Remark: Additional information according to the Toy Safety Directives 2009/48/EC requirement. These information also appears as a note within the EN71 but are not standard requirements:

#### 1. Marking

The manufacturer's and importer's name, registered trade name or registered trade mark, the address and the CE-marking shall be indicated on the toy or, where that is not possible, on its packaging or in a document accompany the toy. In addition, manufacturers shall ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

- Manufacturer's name was on the packaging.
- Manufacturer's address was on the packaging.
- Importer's name was missed.
- Importer's address was missed.
- Product identification code was on the packaging and toy.
- CE marking was on the packaging and toy.

Date sample received : Oct 16,2019  
Testing period : Oct 16,2019 to Oct 18, 2019

#### 2 Flammability Test

As per European Standard on Safety of Toys EN71-2:2011+A1:2014

Clause	Testing Items	Assessment
4.1	General	P
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by a child in play	NA
4.4	Toys intended to be entered by a child	NA
4.5	Soft filled toys	NA

Remark: P = Pass NA = Not Applicable

Date sample received : Oct 16,2019  
Testing period : Oct 16,2019 to Oct 18, 2019

\*\*\*\*\*



**Test Report**

Number: GZHH00342123

Tests Conducted

3 19 Toxic Element Migration Test

(A) Test Result

As per EN71-3:2013+A3:2018 and followed by Inductively Coupled Plasma Atomic Emission Spectrometry, Ion Chromatography with UV-VIS.

Category (III): Scraped-off toy material

Element	Result (mg/kg)				Reporting Limit (mg/kg)	Limit (mg/kg)
	Tested Component					
	(2)	(3)	(14)	(26)		
Aluminium (Al)	16621	579	ND	ND	300	70000
Antimony (Sb)	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) **	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) **	ND#	ND#	ND#	ND#	0.025	0.2/0.053◎
Cobalt (Co)	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	2.5	180000
Organic tin **	ND	ND	ND	ND	2.0	12
Zinc (Zn)	ND	ND	557	1780	100	46000

\*\*\*\*\*



**Test Report**

Number: GZHH00342123

Tests Conducted

Element	Result (mg/kg)		Reporting Limit (mg/kg)	Limit (mg/kg)
	Tested Component			
	(4), (18), (24), (25), (28)			
Aluminium (Al)	ND		300	70000
Antimony (Sb)	ND		10	560
Arsenic (As)	ND		10	47
Barium (Ba)	ND		10	18750
Boron (B)	ND		50	15000
Cadmium (Cd)	ND		5	17
Chromium (III) (Cr III) **	ND		10	460
Chromium (VI) (Cr VI) **	ND#		0.025	0.2/0.053◎
Cobalt (Co)	ND		10	130
Copper (Cu)	ND		10	7700
Lead (Pb)	ND		10	23
Manganese (Mn)	ND		10	15000
Mercury (Hg)	ND		10	94
Nickel (Ni)	ND		10	930
Selenium (Se)	ND		10	460
Strontium (Sr)	ND		100	56000
Tin (Sn)	ND		2.5	180000
Organic tin **	ND		2.0	12
Zinc (Zn)	ND		100	46000

Element	Result (mg/kg)		Reporting Limit (mg/kg)	Limit (mg/kg)
	Tested Component			
	(15), (16), (17), (19), (20), (21), (22), (23), (27)			
Aluminium (Al)	ND		300	70000
Antimony (Sb)	ND		10	560
Arsenic (As)	ND		10	47
Barium (Ba)	ND		10	18750
Boron (B)	ND		50	15000
Cadmium (Cd)	ND		5	17
Chromium (III) (Cr III) **	ND		10	460
Chromium (VI) (Cr VI) **	ND		0.025	0.2/0.053◎
Cobalt (Co)	ND		10	130
Copper (Cu)	ND		10	7700
Lead (Pb)	ND		10	23
Manganese (Mn)	ND		10	15000
Mercury (Hg)	ND		10	94
Nickel (Ni)	ND		10	930
Selenium (Se)	ND		10	460
Strontium (Sr)	ND		100	56000
Tin (Sn)	ND		2.5	180000
Organic tin **	ND		2.0	12
Zinc (Zn)	ND		100	46000

\*\*\*\*\*



## Test Report

Number: GZHH00342123

### Tests Conducted

Remark : mg/kg = milligram per kilogram  
++ = Unless the test results were marked with "#" or "Δ", Chromium (III) & Chromium (VI) and Organic tin contents were not directly determined and were derived from migration results of total chromium and tin respectively.  
- Organic tin test result was expressed as tributyl tin.  
ND = Not detected (less than reporting limit)  
⊙ = The new chromium (VI) migration limit [(0.053mg/kg for Category (III)) were quoted from directive (EU) 2018/725 amending 2009/48/EC effective from 18 November 2019. Client requirement on Aluminium (Al) for category(III) = 28130 mg/kg  
# = Confirmation of Chromium (VI) test was performed on the tested component. And the reported value of migration of Chromium (III) = migration value of total Chromium – migration value of Chromium(VI).

Tested Component(s): See component list in the last section of this report

### (B) Categories of various toy materials

Category I: Dry, brittle, powder like or pliable

Solid toy material from which powder-like material is released during playing and semi-solid materials that may also leave residues on the hands during play. The material can be ingested. Contamination of the hands with the material may contribute to the oral exposure of the material. (e.g. the cores of colouring pencils, chalk, crayons, modelling clays and plaster).

Category II: Liquid or sticky

Fluid or viscous toy material, which can be ingested or to which dermal exposure may occur during playing. (e.g. liquid paints, finger paints, liquid ink in pens, glue sticks, slimes, bubble solution).

Category III: Scraped-off

Solid toy material with or without a coating, which can be ingested as a result of biting, tooth scraping, sucking or licking. (e.g. coatings, lacquers, plastics, paper, textiles, glass, ceramic, metallic, wooden, bone, leather and other materials).

Date sample received: Oct 16, 2019

Testing period: Oct 16, 2019 to Oct 24, 2019

\*\*\*\*\*





**Test Report**

Number: GZHH00342123

Tests Conducted

4 19 Toxic Element Migration Test

(A) Test Result

As per EN71-3:2019 and followed by Inductively Coupled Plasma Atomic Emission Spectrometry, Ion Chromatography with UV-VIS.

Category (III): Scraped-off toy material

Element	Result (mg/kg)				Reporting Limit (mg/kg)	Limit (mg/kg)
	Tested Component					
	(2)	(3)	(14)	(26)		
Aluminium (Al)	16621	579	ND	ND	300	70000
Antimony (Sb)	ND	ND	ND	ND	10	560
Arsenic (As)	ND	ND	ND	ND	10	47
Barium (Ba)	ND	ND	ND	ND	10	18750
Boron (B)	ND	ND	ND	ND	50	15000
Cadmium (Cd)	ND	ND	ND	ND	5	17
Chromium (III) (Cr III) **	ND	ND	ND	ND	10	460
Chromium (VI) (Cr VI) **	ND#	ND#	ND#	ND#	0.025	0.053◎
Cobalt (Co)	ND	ND	ND	ND	10	130
Copper (Cu)	ND	ND	ND	ND	10	7700
Lead (Pb)	ND	ND	ND	ND	10	23
Manganese (Mn)	ND	ND	ND	ND	10	15000
Mercury (Hg)	ND	ND	ND	ND	10	94
Nickel (Ni)	ND	ND	ND	ND	10	930
Selenium (Se)	ND	ND	ND	ND	10	460
Strontium (Sr)	ND	ND	ND	ND	100	56000
Tin (Sn)	ND	ND	ND	ND	2.5	180000
Organic tin **	ND	ND	ND	ND	2.0	12
Zinc (Zn)	ND	ND	557	1780	100	46000

\*\*\*\*\*



**Test Report**

Number: GZHH00342123

Tests Conducted

Element	Result (mg/kg)	Reporting Limit (mg/kg)	Limit (mg/kg)
	Tested Component		
	(4), (18), (24), (25), (28)		
Aluminium (Al)	ND	300	70000
Antimony (Sb)	ND	10	560
Arsenic (As)	ND	10	47
Barium (Ba)	ND	10	18750
Boron (B)	ND	50	15000
Cadmium (Cd)	ND	5	17
Chromium (III) (Cr III) **	ND	10	460
Chromium (VI) (Cr VI) **	ND#	0.025	0.053◎
Cobalt (Co)	ND	10	130
Copper (Cu)	ND	10	7700
Lead (Pb)	ND	10	23
Manganese (Mn)	ND	10	15000
Mercury (Hg)	ND	10	94
Nickel (Ni)	ND	10	930
Selenium (Se)	ND	10	460
Strontium (Sr)	ND	100	56000
Tin (Sn)	ND	2.5	180000
Organic tin **	ND	2.0	12
Zinc (Zn)	ND	100	46000

Element	Result (mg/kg)	Reporting Limit (mg/kg)	Limit (mg/kg)
	Tested Component		
	(15), (16), (17), (19), (20), (21), (22), (23), (27)		
Aluminium (Al)	ND	300	70000
Antimony (Sb)	ND	10	560
Arsenic (As)	ND	10	47
Barium (Ba)	ND	10	18750
Boron (B)	ND	50	15000
Cadmium (Cd)	ND	5	17
Chromium (III) (Cr III) **	ND	10	460
Chromium (VI) (Cr VI) **	ND	0.025	0.053◎
Cobalt (Co)	ND	10	130
Copper (Cu)	ND	10	7700
Lead (Pb)	ND	10	23
Manganese (Mn)	ND	10	15000
Mercury (Hg)	ND	10	94
Nickel (Ni)	ND	10	930
Selenium (Se)	ND	10	460
Strontium (Sr)	ND	100	56000
Tin (Sn)	ND	2.5	180000
Organic tin **	ND	2.0	12
Zinc (Zn)	ND	100	46000

\*\*\*\*\*



## Test Report

Number: GZHH00342123

### Tests Conducted

Remark : mg/kg = milligram per kilogram  
++ = Unless the test results were marked with "#" or "Δ", Chromium (III) & Chromium (VI) and Organic tin contents were not directly determined and were derived from migration results of total chromium and tin respectively.  
- Organic tin test result was expressed as tributyl tin.  
ND = Not detected (less than reporting limit)  
⊙ = The new chromium (VI) migration limit [(0.053mg/kg for Category (III)) were quoted from directive (EU) 2018/725 amending 2009/48/EC effective from 18 November 2019. Client requirement on Aluminium (Al) for category(III) = 28130 mg/kg  
# = Confirmation of Chromium (VI) test was performed on the tested component. And the reported value of migration of Chromium (III) = migration value of total Chromium – migration value of Chromium(VI).

Tested Component(s): See component list in the last section of this report

### (B) Categories of various toy materials

Category I: Dry, brittle, powder like or pliable

Solid toy material from which powder-like material is released during playing and semi-solid materials that may also leave residues on the hands during play. The material can be ingested. Contamination of the hands with the material may contribute to the oral exposure of the material. (e.g. the cores of colouring pencils, chalk, crayons, modelling clays and plaster).

Category II: Liquid or sticky

Fluid or viscous toy material, which can be ingested or to which dermal exposure may occur during playing. (e.g. liquid paints, finger paints, liquid ink in pens, glue sticks, slimes, bubble solution).

Category III: Scraped-off

Solid toy material with or without a coating, which can be ingested as a result of biting, tooth scraping, sucking or licking. (e.g. coatings, lacquers, plastics, paper, textiles, glass, ceramic, metallic, wooden, bone, leather and other materials).

Date sample received: Oct 16, 2019

Testing period: Oct 16, 2019 to Oct 24, 2019

\*\*\*\*\*



Tests Conducted

Component list:

- (1) @Coatings (blue, silver color) on plastic (logo of car of sample #1, #2, #3).
- (2) Silver color coating on plastic (side, entrance mat, steering wheel, spare wheel, wheel, tail of car of sample #1, #2, #3, #4, #5, pattern of remote control of sample #1, #2, #3) (sample weight: 50.1mg).
- (3) Bright silver color coating on plastic (head logo, exhaust pipe, outside mirror of car of sample #1, #2, #3) (sample weight: 32.5mg).
- (4) Black coating on plastic (edge of roof of car sample #1, #3) (sample weight: 62.5mg).
- (5) @White coating on plastic (pattern of remote control of all styles).
- (6) @Red coating on plastic (pattern of trunk door, rear of car of sample #1, #2).
- (7) @Orange coating on plastic pattern of trunk door of car of sample #3).
- (8) @Coatings (red, black) on plastic (pattern of tail of car sample #4, #5).
- (9) @Coatings (red, white, green) on plastic (pattern of car of sample #4, #5).
- (10) @Coatings (silver color, red, black) on plastic (pattern of body side molding of car of sample #4, #5).
- (11) @Coatings (gold color, black) on plastic (head logo of car of sample #4, #5).
- (12) @Coatings (white, black, red) on plastic (rear logo of car of sample #4, #5).
- (13) @Gold color coating on plastic (logo of remote control of sample #4, #5).
- (14) White plastic (body of car sample #1).
- (15) Black plastic (edge of windshield wiper, windshield, sliding sunroof, window, safe seats, car door, spare wheel, trunk, head of car of sample #1, #2, #3, chassis, wheel, battery covering, switch of car of all styles, body, battery covering of remote control of sample #1, #2, #3).
- (16) Black plastic (body of car of sample #2).
- (17) Bright black plastic (windshield wiper, windshield, rear of car of sample #4, #5, body of remote control of sample #4, #5).
- (18) Black soft plastic (outside mirror of car of all styles, antenna of remote control of sample #1, #2, #3).
- (19) Black soft plastic (tire of car of all styles).
- (20) Off white plastic (direction adjustment of car of sample #1, #2, #3).
- (21) Transparent white plastic (direction adjustment of car of sample #4, #5).
- (22) Transparent plastic (headlight, bonnet, windshield, window, sliding sunroof, rear window of car of sample #1, #2, #3).
- (23) Transparent red plastic (tail lamp of car of sample #1, #2, #3).
- (24) Red plastic (body of car of sample #3).
- (25) Light red plastic (outside mirror, exhaust pipe of car of sample #1, #2, #3).
- (26) Bright red plastic (button of remote control of sample #1, #2, #3).
- (27) Orange plastic (body of car sample #4).
- (28) Yellow plastic (body of car sample #5).

@: Since the sample weight of the component was less than 10 mg, soluble heavy metal analysis was not applicable.

\*\*\*\*\*



Tests Conducted

Appendix

Reference No./Description	:	95700	Mercedes-Benz G63
		97300	Ferrari SF90 Stradale
		97310	Ferrari SF90 Stradale Performance
		97000	Ferrari F1
		79200	Ferrari FXX K EVO
		79400	Jeep Wrangler JL
		79410	Jeep Wrangler JL
		95500	BMW I8
		95600	BMW Z4 Roadster
		95610	BMW Z4 Roadster
		96000	Lamborghini Aventador SVJ Performance
		96010	Lamborghini Aventador SVJ Performance
		21000	Mercedes-Benz ML-Class
		21800	MINI COOPER S
		21900	LANDROVER DISCOVERY 3
		23200-1	BMW X5
		26400	Lamborghini Superleggera
		27400	Audi Q7
		28200	Range Rover Sport
		30400	Mercedes-Benz G55 AMG
		30600	AUDI TT
		31400	BMW X6
		31600	Volvo XC60
		31900	Mercedes-Benz GLK-Class
		38110	Pagani Zonda R
		38500	Audi Q5
		38900	Murcielago LP670-4
		38901	Murcielago LP670-4
		40300	BMW Z4
		40700	PEUGEOT 407
		42100	Audi A6L
		42300	Reventon Roadster
		42400	Mercedes-Benz SLR
		42600	BMW 6 Series
		42800	Porsche GT3
		42900	Porsche Cayenne Turbo
		43000	Aventador LP700
		44600	Volkswagen Golf GTI
		47100	Ferrari 599 GTO
		47200	Ferrari California
		47300	Ferrari 458 Italia
		47400	Ferrari FF
		47500	AUDI R8
		47510	AUDI R8 LMS Performance

\*\*\*\*\*



Tests Conducted

Appendix

Reference No./Description	:	47600	Mercedes-Benz SLS AMG
		47700	Porsche 911 Carrera S
		47900	Range Rover Evoque
		48000	BMW M3
		49100	Ferrari F12
		49200	Lamborghini Sesto
		49300	Volkswagen Touareg
		49400	Ford Shelby GT500
		49600	BMW I8
		49600-11	BMW I8
		49700	Range Rover Sport 2013 Version
		49800	Bentley Continental GT speed
		49900	Bentley Continental GT speed convertible
		50100	Ferrari LaFerrari
		50160	Ferrari LaFerrari
		57400	Ferrari F1
		57500	Lamborghini Aventador J
		70300	Mercedes-Benz GLA
		70400	Bugatti Grand Sport Vitesse
		70460	Bugatti Grand Sport Vitesse
		70500	BMW i3
		70600	Bentley Continental GT3
		70700	PORSCHE 918 Spyder
		70710	PORSCHE 918 Spyder Performance
		70770	PORSCHE 918 Spyder Performance
		70800	Lamborghini HURACÁN LP 610-4
		70860	Lamborghini HURACÁN LP 610-4
		70900	BMW M4 Coupe
		71000	BMW I8
		71060	BMW I8
		71010	BMW I8
		71070	BMW I8
		71100	Mini Countryman JCW RX
		72500	Mini Countryman
		72560	Mini Countryman
		73000	Lamborghini URUS
		97700	Lamborghini Sian

\*\*\*\*\*

End of report

*This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct. This report shall not be reproduced unless with prior written approval from Intertek Testing Services Shenzhen Limited, Guangzhou Branch.*

