



**BUREAU
VERITAS**

CONSUMER PRODUCTS SERVICES DIVISION



SILVERLIT TOYS MANUFACTORY LIMITED

Technical Report: (5220)076-0744(B)
Date Received: April 03, 2020

April 03, 2020
Page 1 of 11

MARTIN CHIM
SILVERLIT TOYS MANUFACTORY LIMITED
RM1102 EAST OCEAN CENTRE
98 GRANVILLE ROAD
TSIM SHA TSUI
KOWLOON
HONG KONG

Sample Description:	PROGRAM A BOT X	Sample Size:	9
Vendor:	N/A	Style No(s):	(88071)
Manufacturer:	N/A	SKN/SKU No.:	N/A
Buyer:	N/A	PO No.:	N/A
Labeled Age Grade:	5+	Ref #:	N/A
Appropriate Age Grade:	OVER 8 YEARS OF AGE	Country of Origin:	CHINA
Client Specified Age Grade:	NOT SPECIFIED	Assortment No.:	N/A
Tested Age Grade:	OVER 5 YEARS OF AGE		
UPC Code:	N/A		
Test Starting Date:	APRIL 03, 2020		
Test Finished Date:	APRIL 03, 2020		

EXECUTIVE SUMMARY:

The sample(s) MEET the following requirement(s):

- The mechanical and physical properties requirements of the tested subclauses of the European Standard, "Safety of toys", EN71: Part 1:2014+A1:2018, clauses 1-7.
- The flammability requirements of the European Standard "Safety of Toys", EN 71: Part 2: 2011+ A1: 2014.
- The migration of certain elements in Category III - Scraped off toy material requirements of the European Standard, "Safety of Toys", EN 71 Part 3: 2013+A3:2018.

Bureau Veritas Hong Kong Limited
Kowloon Bay Office
1/F Pacific Trade Centre, 2 Kai Hing Road,
Kowloon Bay, Kowloon, Hong Kong
Tel: (852) 2331 0888 Fax: (852) 2331 0889
www.bureauveritas.com/cps

This report is governed by, and incorporates by reference, CPS Conditions of Service as posted at the date of issuance of this report at <http://www.bureauveritas.com/home/about-us/our-business/cps/about-us/terms-conditions/> and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.

Hong Kong Accreditation Service (HKAS) has accredited this laboratory (Reg. No. HOKLAS 058) under the Hong Kong Laboratory Accreditation Scheme (HOKLAS) for specific laboratory activities as listed in the HOKLAS Directory of Accredited Laboratories. The results shown in this report were determined by this laboratory in accordance with its terms of accreditation.



SILVERLIT TOYS MANUFACTORY LIMITED

Technical Report: **(5220)076-0744(B)**

April 03, 2020

Page 2 of 11

EXECUTIVE SUMMARY:

Note: The received sample(s) contained accessible component(s) of less than 10 milligrams by weight on one single sample, therefore such component(s) was not subject to migration of certain elements of European Standard, "Safety of Toys", EN 71 Part 3: 2013 + A3:2018, as specified in Clause 7.1 - Selection of test portions.

BUREAU VERITAS HONG KONG LIMITED

Lai Ka Yan, Margaret
Senior Manager
Chemical Department

ML/AL/by

BUREAU VERITAS HONG KONG LIMITED

Chan Chin Fai, Alex
Manager
Toys and Juvenile Products Department

This report shall not be reproduced except in full, without the written approval of our laboratory.



SILVERLIT TOYS MANUFACTORY LIMITED
 Technical Report: **(5220)076-0744(B)**

April 03, 2020
 Page 3 of 11

RESULTS:

APPROPRIATE AGE GRADE DETERMINATION

The Appropriate Age Grade is determined with reference to the EN71: Part 1 : 2014 +A1:2018, CEN ISO/TR 8124-8:2016 Safety of toys - Part 8: Age Determination Guidelines prepared by Technical Committee CEN/TC 52 and Age Grade Determination Guidelines of the Consumer Product Safety Commission (CPSC).	
Note :	The most stringent age grade from the Labeled Age Grade and the Appropriate Age Grade will be used for testing.
Note :	If the client does not specify an age grade for testing or request Bureau Veritas Consumer Products Services, Inc. to determine an appropriate age grade, the labeled age grade will be used for testing.

EXPLANATION OF THE ABBREVIATIONS FOR PART 1, 2 & 6

Symbol	Explanation				
NM	The sample(s) DOES NOT MEET the requirement of this Subclause				
M	The sample(s) MEET the requirement of this Subclause				
N/A	Not Applicable				
NR	Not Requested				
NE	Not Evaluated				
NT	Not Tested				
NP	None Present				
P	Present				
R	Refer to Comment Section of this report				
Symbol	Language Present	Symbol	Language Present	Symbol	Language Present
B	Belgian language	G	German language	PR	Portuguese language
D	Danish language	GR	Greek language	S	Spanish language
E	English language	H	Dutch language	SD	Swedish language
F	Finnish language	I	Italian language	SZ	Swiss language
FR	French language	N	Norwegian language		

RESULTS:

**MECHANICAL & PHYSICAL PROPERTIES
(EN 71: PART 1 – 2014+A1 – 2018)**

Subclause	Requirement	Result
4.1	Material cleanliness	M
4.2	Assembly	NA
4.3	Flexible plastic sheeting	NA
4.4	Toy Bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7 & 7.6	Edges	M
4.8 & 7.6	Points and metallic wires	M
4.8e	Splinters	M
4.9	Protruding parts	NA
4.10.1	Folding and sliding mechanisms	NA
4.10.2	Driving mechanisms	M
4.10.3	Hinges	NA
4.10.4	Springs	NA
4.11	Mouth actuated toys and other toys intended to be put in the mouth	NA
4.12 & 7.3	Balloons	NA
4.13 & 7.9	Cord of toy kites and other flying toys	NA
4.14.1	Toys which a child can enter	NA
4.14.2 & 7.8	Masks and helmets	NA
4.15.1	Toys propelled by child	
4.15.1.2 & 7.10.1 & 7.10.2 & 7.10.3 & 7.10.4 & 7.16	Toys propelled by child – Instructions for use	NA
4.15.1.3	Toys propelled by child – Strength	NA
4.15.1.4	Toys propelled by child – Stability	NA
4.15.1.5	Toys propelled by child – Braking	NA
4.15.1.6	Toys propelled by child - Transmission	NA
4.15.1.7	Toys propelled by child – insertion mark	NA
4.15.1.8	Electrically-driven ride-on toys	NA
4.15.2	Toy bicycles	
4.15.2.2 & 7.15	Toy bicycles – Warnings and instructions for use	NA
4.15.2.3	Toy bicycles – Braking	NA
4.15.3 & 7.16 & 7.19	Rocking horses and similar toys	NA
4.15.4 & 7.16	Toys not propelled by child	NA
4.15.5 & 7.18	Toy scooters	NA
4.16	Heavy immobile toys	NA
4.17.2	All projectiles	NA
4.17.3 & 7.7	Projectile toys with stored energy	NA

RESULTS:

**MECHANICAL & PHYSICAL PROPERTIES
(EN 71: PART 1 – 2014+A1 – 2018)**

Subclause	Requirement	Result
4.17.4 & 7.26	Certain projectiles toys without stored energy	NA
4.18 & 7.4	Aquatic toys and inflatable toys	NA
4.19 & 7.13 & 7.14	Percussion caps	NA
*4.20.2.1- 4.20.2.8, 4.20.2.10, 4.20.2.12	Acoustics	M
4.20.2.9, 4.20.2.11 & 7.14	Acoustics – percussion toys & cap-firing toys	NA
4.21	Toys containing a non-electrical heat source	NA
4.22 & 7.2	Small balls	NA
4.23	Magnet	
4.23.2 a, b & c	Toy other than magnetic / electrical experimental sets intended for children over 8 years	NA
4.23.3 & 7.20	Magnetic / electrical experimental sets intended for children over 8 years	NA
4.24	Yo-yo ball	NA
4.25	Toys attached to food	NA
4.26	Toy Disguise Costumes	NA
4.27.1	Flying toys – General	NA
4.27.2 & 7.25.1	Rotors and propellers on flying toys	NA
4.27.3 & 7.25.2	Rotors and propellers on remote controlled flying toys	NA
FOR TOYS INTENDED FOR CHILDREN UNDER 36 MONTHS		
5.1	General	NA
5.1a	Small parts – as received	NA
5.1b	Small parts, sharp points, sharp edges – after tests	NA
5.1c	Cross section <2mm metal points & wires	NA
5.1e	Toys contain glue	NA
5.1f	Casing of toys	NA
5.2	Fillings, coverings and seams	NA
5.3	Adhesion of plastic sheeting	NA
5.4.2	Cords and chains in toys intended for children under 18 months	NA
5.4.3 & 7.22	Cords and chains in toys intended for children of 18 months or over but under 36 months	NA
5.4.4	Fixed loops, tangled loops and nooses	NA
5.4.5	Cords and chains on pull along toys	NA
5.4.6 & 7.21	Electrical cables	NA
5.4.7	Cross-sectional dimension of certain cords	NA



SILVERLIT TOYS MANUFACTORY LIMITED

Technical Report: **(5220)076-0744(B)**

April 03, 2020

Page 6 of 11

RESULTS:

**MECHANICAL & PHYSICAL PROPERTIES
(EN 71: PART 1 – 2014+A1 – 2018)**

Subclause	Requirement	Result
5.4.8	Self-retracting cords	NA
5.4.9 & 7.11 & 7.23	Toys attached to or intended to be strung across a cradle, cot or perambulator	NA
5.5 & 7.12	Liquid filled toys	NA
5.6	Electrically driven toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size	NA
5.9 & 7.17	Monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15 & 7.24	Sledges with cords for pulling	NA
6	Packaging	NA
WARNINGS, INSTRUCTIONS FOR USE		
7.1	General	M
7.2	Toys not intended for children under 36 months	M
7.5	Functional toys	NA

* Note: Subclause 4.20.2.5 Toys using headphones or earphone & 4.20.2.12 Voice Toys not accredited



SILVERLIT TOYS MANUFACTORY LIMITED

Technical Report: **(5220)076-0744(B)**

April 03, 2020

Page 7 of 11

RESULTS:

FLAMMABILITY (EN 71 PART 2: 2011 + A1: 2014)

Subclause	Requirement	Result
4.1	Cellulose nitrate	NP
4.1	Surface flash on a piled surface	NA
*4.1	Flammable gases	NA
*4.1	Extremely flammable liquids, highly flammable liquids, flammable liquids and flammable gels	NA
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by child in play	NA
4.3	warning on product and packaging (10 - 30 mm/s)	NA
4.4	Toys intended to be entered by a child	NA
4.4	warning on product and packaging (10 – 30 mm/s)	NA
4.5	Soft-filled toys	NA

REQUIREMENTS & TEST METHODS CROSS REFERENCE TABLE FOR PART 2

Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method	Sub-clause	Test Method
4.2.2	5.2	4.2.4	5.3	4.3	5.4	4.5	5.5
4.2.3	5.3	4.2.5	5.4	4.4	5.4	-	-

* Note: Subclause indicated with * are not accredited.



SILVERLIT TOYS MANUFACTORY LIMITED

Technical Report: **(5220)076-0744(B)**

April 03, 2020

Page 8 of 11

RESULTS:

MIGRATION OF CERTAIN ELEMENTS (European Standard EN 71 Part 3: 2013+A3:2018)

Test Method : European Standard EN 71 Part 3: 2013+A3:2018, Annex E.

Class: Category III - Scraped off toy material

Sample Identity	Color	Location	Style
A.	silvery coating	robot, remote	
B.	white plastic	remote, robot	
C.	black plastic	buttons of robot, body, feet and wheels of robot	
D.	clear plastic	LED of remote	
E.	dull translucent black plastic	head of robot	
F.	dull black soft plastic	wheels of robot	

RESULTS:

MIGRATION OF CERTAIN ELEMENTS (European Standard EN 71 Part 3: 2013+A3:2018)

Analyte	Requirement (mg/kg)	Result (mg/kg)					
		Sample ID					
	Category III	A.	B.	C.	D.	E.	F.
Aluminium (Al)	70000	12800	LT 2	LT 2	LT 2	LT 2	2
Arsenic (As)	47	0.204	0.151	LT 0.15	LT 0.15	LT 0.15	0.326
Boron (B)	15000	LT 5	LT 5	LT 5	LT 5	LT 5	LT 5
Barium (Ba)	18750	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2
Cadmium (Cd)	17	LT 0.15	LT 0.15	LT 0.15	LT 0.15	LT 0.15	LT 0.15
Cobalt (Co)	130	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2
Chromium III (Cr III)	460	0.217	0.033	LT 0.02	0.023	0.026	0.036
Chromium VI (Cr VI)	0.2	LT 0.002#					
Copper (Cu)	7700	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2
Mercury (Hg)	94	LT 0.25	LT 0.25	LT 0.25	LT 0.25	LT 0.25	LT 0.25
Manganese (Mn)	15000	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2
Nickel (Ni)	930	5	LT 2	LT 2	LT 2	LT 2	LT 2
Lead (Pb)	23	LT 0.2	LT 0.2	LT 0.2	LT 0.2	LT 0.2	LT 0.2
Antimony (Sb)	560	LT 2	3	LT 2	LT 2	LT 2	LT 2
Selenium (Se)	460	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2
Tin (Sn)	180000	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2
Organic tin	12	4	LT 2	LT 2	LT 2	LT 2	LT 2
Strontium (Sr)	56000	LT 2	LT 2	LT 2	LT 2	LT 2	LT 2
Zinc (Zn)	46000	18	LT 5	LT 5	LT 5	LT 5	LT 5
Mass of trace amount (gram)		0.0325			0.0264		
Conclusion		Pass	Pass	Pass	Pass	Pass	Pass

mg/kg = milligrams per kilogram (ppm=parts per million)

LT = Less Than

* = Average of duplicate analysis

Organic tin = migration of total organic tin is expressed as tributyl tin cation content in mg/kg

= Verified results (see note)

Remark: - Results of Cr III and Cr VI were reported as sum of soluble Chromium content unless specified.
- Result(s) of organic tin was (were) calculated while assuming the tin content wholly contributed from tributyltin cation unless specified.

Note: If soluble chromium content or soluble tin content exceeded the screening limits of soluble chromium (VI) or organic tin content, the results were verified by below method
- Chromium VI: In house Ion-chromatography analysis
- Organic tin: EN71 part 3:2013+A3:2018, Annex G by Gas Chromatography – Mass Spectroscopy analysis.

SILVERLIT TOYS MANUFACTORY LIMITED

Technical Report: **(5220)076-0744(B)**


April 03, 2020

Page 10 of 11

RESULTS:



RESULTS:



Sample Number
(5220)076-0744

END OF REPORT